

IN THE CLAIMS

Please amend the claims as follows:

1. (Currently Amended) A contour filter for providing contour information from an array of pixel values representing an image, said array comprises a first and a second group of pixels, the first group of pixels representing part(s) of the image optically filtered with a filter having a first color~~-(G)~~, and the second group of pixels representing part(s) of the image optically filtered with one or more filters having one or more second colors ~~(R, B)~~, each pixel in the first group having a vertical and a horizontal neighboring pixel of the second group, said contour filter comprising:

means ~~(ZSB)~~ for converting said array of pixel values to a zero switched array, where the pixel values of the pixels in the second group are replaced by zero,

means ~~(7)~~ for contour filtering said zero switched array and outputting said contour information,

wherein the contour filtering means ~~comprising~~ comprises:

means for calculating, for each pixel in the zero switched array, a filtered pixel value, said calculation being performed by using an array of filter coefficients having mutual ratios being substantially defined by:

$$\begin{array}{ccccc}
-0 \pm A & -1x \pm B & -2x \pm C & -1x \pm D & -0 \pm E \\
-1x \pm F & -0 \pm G & +2x \pm H & -0 \pm I & -1x \pm J \\
-2x \pm K & +2x \pm L & +8x \pm M & +2x \pm N & -2x \pm O \\
-1x \pm P & -0 \pm Q & +2x \pm R & -0 \pm S & -1x \pm T \\
-0 \pm U & -1x \pm V & -2x \pm X & -1x \pm Y & -0 \pm Z
\end{array}$$

where x is a real number and the value of each of A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, X, Y, Z is between 0 and 0.25x, and

means for multiplying the pixel value of the actual pixel with the  $8x \pm M$  coefficient and the remaining filtering coefficients with correspondingly positioned pixel values in the zero switched array and finally summing the resulting values.

2. (Currently Amended) ~~A The contour filter according to as claimed in~~ claim 1, where the value of each of A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, X, Y, Z is between 0 and 0.1x, ~~such as between 0 and 0.05x, such as between 0 and 0.01x, preferably at least substantially 0.~~

3. (Currently Amended) A method of providing contour information from an array of pixel values representing an image, said array comprises a first and a second group of pixels, the first group of pixels representing part(s) of the image optically filtered with a filter having a first color, and the second group of pixels representing part(s) of the image optically filtered with one or more filters having one or more second colors, each pixel in

the first group having a vertical and a horizontal neighboring pixel of the second group, said ~~filter comprises, method comprising the steps of:~~

converting said array of pixel values to a zero switched array, where the pixel values of the pixels in the second group are replaced by zero, ~~and~~

contour filtering said zero switched array and outputting said contour information,

~~wherein the contour filtering comprising step comprises the sub-steps:~~

calculating, for each pixel in the zero switched array, a filtered pixel value, said calculation being performed by using an array of filter coefficients having mutual ratios being substantially defined by:

$$\begin{array}{ccccc} -0 \pm A & -1x \pm B & -2x \pm C & -1x \pm D & -0 \pm E \\ -1x \pm F & -0 \pm G & +2x \pm H & -0 \pm I & -1x \pm J \\ -2x \pm K & +2x \pm L & +8x \pm M & +2x \pm N & -2x \pm O \\ -1x \pm P & -0 \pm Q & +2x \pm R & -0 \pm S & -1x \pm T \\ -0 \pm U & -1x \pm V & -2x \pm X & -1x \pm Y & -0 \pm Z \end{array}$$

where x is a real number and the value of each of A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, X, Y, Z is between 0 and 0.25x, ~~and~~

multiplying the pixel value of the actual pixel with the 8x±M coefficient and the remaining filtering coefficients with correspondingly positioned pixel values in the zero switched array and finally summing the resulting values.

4. (Currently Amended) ~~A The method according to as claimed in~~  
claim 3, where the value of each of A, B, C, D, E, F, G, H, I, J,  
K, L, M, N, O, P, Q, R, S, T, U, V, X, Y, Z is between 0 and 0.1x,  
~~such as between 0 and 0.05x, such as between 0 and 0.01x,~~  
~~preferably at least substantially 0.~~

5. (Currently Amended) ~~A The method according to as claimed in~~  
claim 3, where said filtering is performed in parallel with a  
interpolation process, said interpolating process being a process  
where either pixels corresponding to pixels from said first group  
of pixels are interpolated in positions of said array only being  
represented by a pixel from said second group of pixels, or pixels  
corresponding to pixels from said second group of pixels are  
interpolated in positions of said array only being represented by a  
pixel from said first group of pixels.

6. (Original) A computer program comprising computer program  
code means implementing the method of claim 3 when said program is  
run on a computer.

7. (Original) A computer readable medium comprising a computer  
program as claimed in claim 6.

8. (Currently Amended) A color camera, comprising:  
a sensor ~~(S)~~ having a color filter array; and

a contour filter ~~(7)~~ as claimed in claim 1.

9. (New) The contour filter as claimed in claim 1, where the value of each of A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, X, Y, Z is between 0 and 0.05x.

10. (New) The contour filter as claimed in claim 1, where the value of each of A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, X, Y, Z is between 0 and 0.01x.

11. (New) The contour filter as claimed in claim 1, where the value of each of A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, X, Y, Z is at least substantially zero.

12. (New) The method as claimed in claim 3, where the value of each of A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, X, Y, Z is between 0 and 0.05x.

13. (New) The method as claimed in claim 3, where the value of each of A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, X, Y, Z is between 0 and 0.01x.

14. (New) The method as claimed in claim 3, where the value of each of A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, X, Y, Z is at least substantially zero.